


MATERIAL: 6061-T6 QQ-A-250/11
STOCK: 0.063 SHEET
FINISH: POWDER COAT IF-2723 BLACK TEXTURE TGIC, ALT: FLAT BLACK ENAMEL
WEIGHT: 0.52 lbs

| SHEET | REV | ECO | DATE | DESCRIPTION | BY | CHK | APR |
|-------|-----|-----|----------|--|----|-----|-----|
| 1,2,3 | NC | 1 | 10/16/00 | POWDER COAT WAS IF2497 | MR | MR | MR |
| 1,2,3 | | 2 | 04/04/02 | UPDATED DIM FORMAT, ADDED FLAT PATTERN | GP | LS | GP |
| 1,2,3 | A | | 10/11/18 | UPDATED DRAWING FORMAT | ZA | LS | ZA |
| | | | | | | | |



-1 DOUBLER


BREAK ALL SHARP EDGES

-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE;
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.


PROTO
N/C

| | | | | | | | |
|---|--|-----------------------------|--------|-------|-------------|--------|-----|
| <div>Paravion® Inc.</div> <div>Technology</div> | | TITLE | | | DRAWING NO. | | |
| | | DOUBLER | | | 206SX-2110 | | |
| DIMENSIONS IN INCHES | | DRAWN | APRVD. | CHK'D | DATE | REV | ECO |
| TOLERANCES EXCEPT | | BY | BY | BY | | | |
| WHERE NOTED: | | RHSM | REB | REB | 11/29/94 | A | |
| .X = ± .1 | | | | | | | |
| .XX = ± .05 | | | | | | | |
| .XXX = ± .010 | | | | | | | |
| ANGLES = ± 1° | | | | | | | |
| | | DO NOT SCALE DRAWING | | | | SHEET | |
| | | © 2018 PARAVION TECH., INC. | | | | 1 OF 3 | |
| | | PARAVION IS A TRADEMARK OF | | | | | |
| | | PARAVION TECHNOLOGY, INC. | | | | | |

MATERIAL: 6061-T6 QQ-A-250/11
STOCK: 0.063 SHEET
FINISH: POWDER COAT IF-2723 BLACK TEXTURE TGIC, ALT: FLAT BLACK ENAMEL
WEIGHT: 1.37 lbs



-2 DOUBLER



FLAT PATTERN

BREAK ALL SHARP EDGES


-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE;
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

PROTO


N/C

| | | | | | |
|--|--|---------------------|--|---------------------------|--|
| Paravion® Technology Inc. | | TITLE DOUBLER | | DRAWING NO. 206SX-2110 | |
| DIMENSIONS IN INCHES | | | | | |
| TOLERANCES EXCEPT WHERE NOTED: | | | | | |
| .X = ± .1 .XX = ± .05 .XXX = ± .010 ANGLES = ± 1° | | | | | |
| DRAWN BY RHSM | | APRVD. BY REB | | CHK'D BY BR | |
| DATE 11/29/94 | | REV A | | ECO | |
| DO NOT SCALE DRAWING | | | | SHEET 2 OF 3 | |
| © 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC. | | | | | |

MATERIAL: 6061-T6 QQ-A-200/16
STOCK: 0.125 X 1 X 1 ANGLE
FINISH: POWDER COAT IF-2723 BLACK TEXTURE TGIC, ALT: FLAT BLACK ENAMEL
WEIGHT: 0.14 lbs



-3 ANGLE



BREAK ALL SHARP EDGES

-CONFIDENTIAL INFORMATION-
THE INFORMATION AND DATA CONTAINED HEREIN
IS PROPRIETARY AND IS SUBMITTED IN CONFIDENCE;
AND SHALL NOT BE DISCLOSED, USED OR DUPLICATED
FOR ANY PURPOSE WHATSOEVER WITHOUT THE PRIOR
WRITTEN PERMISSION OF PARAVION TECHNOLOGY, INC.

PROTO
N/C

| | | | | | |
|--|--|----------------------|--|---------------------------|-------------------|
| Paravion [®] Technology Inc. | | TITLE DOUBLER | | DRAWING NO. 206SX-2110 | |
| DIMENSIONS IN INCHES | | | | | |
| TOLERANCES EXCEPT WHERE NOTED: | | | | | |
| .X = ± .1 | | .XX = ± .05 | | .XXX = ± .010 | |
| ANGLES = ± 1° | | DO NOT SCALE DRAWING | | SHEET 3 OF 3 | |
| © 2018 PARAVION TECH., INC. PARAVION IS A TRADEMARK OF PARAVION TECHNOLOGY, INC. | | DRAWN BY RHSM | | APRVD. BY REB | CHK'D BY BR |
| | | DATE 11/29/94 | | REV A | ECO |